

**PCT**WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau

## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification 6 :</b> <b>A61K 7/48</b>		<b>A1</b>	<b>(11) International Publication Number:</b> <b>WO 98/56339</b> <b>(43) International Publication Date:</b> 17 December 1998 (17.12.98)
<b>(21) International Application Number:</b> PCT/US98/11787 <b>(22) International Filing Date:</b> 8 June 1998 (08.06.98)  <b>(30) Priority Data:</b> 08/871,854 9 June 1997 (09.06.97) US 08/871,857 9 June 1997 (09.06.97) US 08/871,860 9 June 1997 (09.06.97) US  <b>(71) Applicant:</b> THE PROCTER & GAMBLE COMPANY [US/US]; One Procter & Gamble Plaza, Cincinnati, OH 45202 (US).  <b>(72) Inventors:</b> LUCAS, Juliet, Marie; Apartment 410, 3417 Erie Avenue, Cincinnati, OH 45208 (US). TRINH, Toan; 8671 Creekwood Lane, Maineville, OH 45039 (US). DODD, Michael, Thomas; 1210 Bobwhite, Edgewood, KY 41018 (US). BARTOLO, Robert, Gregory; Apartment A, 11783 Rose Lane, Cincinnati, OH 45246 (US). BUCKNER, Robin, Yager; 12119 Cedarbreaks Lane, Cincinnati, OH 45249 (US). KAJIS, Theresa, Marie; 6617 Epworth Road, Loveland, OH 45140 (US).  <b>(74) Agents:</b> REED, T., David et al.; The Procter & Gamble Company, 5299 Spring Grove Avenue, Cincinnati, OH 45217 (US).			<b>(81) Designated States:</b> AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, GW, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).  <b>Published</b> <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>
<b>(54) Title:</b> PERFUME-FREE TWO PHASE COMPOSITIONS AND METHODS FOR REDUCING BODY AND ENVIRONMENTAL ODOR			
<b>(57) Abstract</b>  The present invention relates to an aqueous odor-absorbing composition which is safe for use on human skin comprising solubilized, water-soluble, uncomplexed cyclodextrin; an oil phase selected from the group consisting of emollients, moisturizers, skin protectants, and mixtures thereof; one or more surfactants each having hydrophilic/lipophilic balance of about 8-18, and wherein each surfactant, when combined with an aqueous cyclodextrin solution, provides no less than about 25 % a level of odor capture as an aqueous cyclodextrin solution; and an aqueous carrier. The present invention also encompasses methods of controlling body and environmental odors on skin comprising the application to skin of these compositions.			

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

PERFUME-FREE TWO PHASE  
COMPOSITIONS AND METHODS FOR REDUCING BODY AND  
ENVIRONMENTAL ODOR

BACKGROUND OF THE INVENTION

Body odor is most commonly caused by fatty acids on skin and by malodors from microbial sources. The human skin is naturally populated with numerous micro-organisms which are nourished by various skin secreted substances (eccrine and apocrine sweat, and sebum), skin cell debris, breakdown products of the skin and the organisms themselves. These unpleasant body odors are mainly organic molecules which have different structures and functional groups, such as amines, acids, alcohols, aldehydes, ketones, phenolics, polycyclics, indoles, aromatics, polyaromatics, etc. They can also be made up of sulfur-containing functional groups, such as, thiol, mercaptan, sulfide and/or disulfide groups.

Furthermore, daily contact with substances which leave unpleasant and/or lingering odors on an individual's body and hair is almost unavoidable. Foods such as fish, onions, garlic or other spices, cooking odors, smoke, tobacco, and gasoline are just a few of the common environmental sources of malodors in daily life.

Numerous attempts have been made to conceal unpleasant odors through the use of deodorizing compositions. These compositions typically rely on the presence of heavy fragrances or perfumes to mask odors. Not only are such perfumes and fragrances often inadequate at fully concealing malodors, very often they are irritating to the user. The perfume or fragrance odor itself may be irritating or offensive to the user's skin, respiratory system and/or olfactory senses, as well as to nearby individuals.

Attempts have been made to deprive the microbials responsible for body odor of the moist/humid environment they need to proliferate and grow. Such efforts include the use of powders and/or antiperspirants. Body powders often are undesirable as they may be difficult to apply and may rub or fall off onto clothing. Antiperspirants are not always preferred in a body odor control product since, when used over the entire body, they may interfere with the body's thermal regulatory process by inhibiting perspiration through the action of astringent salts. Additionally, such salts may be irritating to a large number of users, particularly when applying them to sensitive areas such as the pelvic region.

Other deodorant compositions aimed at combating/controlling body odor associated with skin secretions, which have been described in the chemical and cosmetic literature, include emulsion sticks or suspensoid sticks, aerosols, roll-ons, pads, pump sprays, and even soap bars. These known deodorants attempt to control odor through a variety of means. For

instance, U.S. Patent No. 5,525,331, to Betts, issued June 11, 1996, discloses compositions which inhibit the growth of micro-organisms in the body-secretions. Deodorants may also include antibacterial compounds which help destroy/control the amount of bacteria present on skin, thereby minimizing odor produced via bacterial metabolism of skin secretions.

Zeolites such as those marketed under the trade name ABSCENTS by the Union Carbide Corporation and UOP are known odor absorbers. However these commonly known solid odor absorbers, in addition to known activated charcoal odor absorbers, lose functionality when wet. Therefore, when wetted by body fluids or when carried in an aqueous solution, these odor absorbers are not preferred as they lose their desired odor absorbent characteristics. Furthermore, zeolites can cause a "harsh" feel if too much is deposited onto the skin.

U.S. Patent No. 5,534,165, to Pilosof et al., issued July 9, 1996, describes aqueous, odor absorbing compositions for controlling odors on fabrics, particularly clothes. Such compositions, however, are not for use directly on the human skin.

Thus, there remains a need for an improved odor absorbing composition, which is essentially free of irritating ingredients such as perfumes or astringent antiperspirants and which is safe and effective for use on the entire body. More particularly, there is a need for a convenient, leave on composition which is capable of absorbing a broad spectrum of body and environmental odors that are not fully suppressed by the aforementioned means.

It has been discovered that such enhanced odor control can be safely provided to the entire body by applying a composition, which is left on the skin, which incorporates odor absorbing, uncomplexed cyclodextrins into a two phase solution. It has also been discovered that the aforementioned benefits may be delivered in a two phase solution which also optionally delivers skin aid benefits to the user such as protection and/or moisturization. Methods of removing and controlling odor have also been discovered.

These and other objects of the present invention will become readily apparent from the detailed description which follows. All percentages, ratios, and parts herein, in the Specification, Examples, and Claims are by weight unless otherwise stated. The term "g" as used herein means gram. The term "ml" as used herein means milliliter.

#### SUMMARY OF THE INVENTION

The present invention relates to an aqueous odor-absorbing composition which is safe for use on human skin comprising solubilized, water-soluble, uncomplexed cyclodextrin; an oil phase selected from the group consisting of emollients, moisturizers, skin protectants, and mixtures thereof; one or more surfactants each having hydrophilic/lipophilic balance of about 8-18, and wherein each surfactant, when combined with an aqueous cyclodextrin solution, provides no less than about 25% a level of odor capture as an aqueous cyclodextrin solution;

and an aqueous carrier. The present invention also encompasses methods of controlling body and environmental odors on skin comprising the application to skin of these compositions.

#### DETAILED DESCRIPTION OF THE INVENTION

The present invention relates to a perfume-free, aqueous, odor-absorbing composition. The present invention also relates to the methods of use of the odor-absorbing composition in reducing body and/or environmental odor on skin. The composition can be applied directly to skin as a spray, poured from a bottle and applied by hand, or applied via a wipe which is wet. The present invention also relates to an article of manufacture comprising the composition incorporated into a flexible dispensing means.

The term "environmental odor", as used herein means any odor which may be on a human or mammal which is not the result of human or mammalian body odor and/or body fluids. Such odors include but are not limited to odors from foods such as fish, garlic, onions, peppers and spices; cooking; smoke; tobacco; gasoline; and the like.

The term "body fluids", as used herein, includes eccrine sweat, apocrine sweat, sebum, build up of sensible moisture from transepidermal water loss, vaginal discharge, urine, and mixtures thereof. The term "body odor" as used herein means odors which are generated as a result of the natural functioning of a human or mammalian body. Such odors include, but are not limited to odors produced by microorganisms of the skin (i.e. bacterial decomposition of skin secretions), urine, or vaginal discharge, and mixtures thereof. The term "skin" means human or mammalian skin. The term "entire body" means the entire external surface of human or mammalian skin. The term "vaginal odor" relates specifically to those body odors which emanate from the pelvic region of a woman, particularly the vagina and the panty line.

A detailed description of essential and optional components of the present invention is given below.

**CYCLODEXTRIN:** As used herein, the term "cyclodextrin" includes any of the known cyclodextrins such as unsubstituted cyclodextrins containing from six to twelve glucose units, especially, alpha-cyclodextrin, beta-cyclodextrin, gamma-cyclodextrin and/or their derivatives and/or mixtures thereof. The term "uncomplexed cyclodextrin" as used herein means that the cavities within the cyclodextrin in the solution of the present invention should remain essentially unfilled while in solution, in order to allow the cyclodextrin to absorb various odor molecules when the solution is applied to a surface. The term "water-soluble, uncomplexed cyclodextrin" as used herein means uncomplexed cyclodextrin having a minimum solubility limit of 1% (1 gram in 100 grams of water).

Preferred, the cyclodextrins used in the present invention are highly water-soluble such as, alpha-cyclodextrin and/or derivatives thereof, gamma-cyclodextrin and/or derivatives thereof, derivatised beta-cyclodextrins, and/or mixtures thereof. The derivatives of

cyclodextrin consist mainly of molecules wherein some of the OH groups are converted to OR groups. Highly water-soluble cyclodextrins are those having water solubility of at least about 10 g in 100 ml of water at room temperature, preferably at least about 20 g in 100 ml of water, more preferably at least about 25 g in 100 ml of water at room temperature. The preferred highly water-soluble cyclodextrins are hydroxypropyl beta-cyclodextrin and methylated beta-cyclodextrin. More preferred are beta cyclodextrin, hydroxypropyl alpha-cyclodextrin, hydroxypropyl beta-cyclodextrin, methylated-alpha-cyclodextrin or methylated-beta-cyclodextrin. Non-derivatised beta-cyclodextrin can be present at a level up to its solubility limit of about 1.85% at room temperature. When beta-cyclodextrin is applied to a wipe substrate, levels higher than its solubility limit can be used.

It is also preferable to use a mixture of cyclodextrins. Such mixtures absorb body odors more broadly by complexing with a wider range of odoriferous molecules having a wider range of molecular sizes. Preferred are mixtures of beta-cyclodextrin and/or its derivatives with alpha-cyclodextrin and/or its derivatives, and mixtures thereof. The levels of cyclodextrin are from about 0.1% to about 5%, preferably from about 0.2% to about 4%, more preferably from about 0.3% to about 3%, most preferably from about 0.4% to about 2%, by weight of the composition.

Concentrated compositions can also be used. When a concentrated product is used, i.e., when the level of cyclodextrin used is from about 3% to about 5%, it is preferable to dilute the composition before applying to the skin in order to avoid tacky skin feel and/or an undesirable amount of residue. Preferably the cyclodextrin is diluted with about 50% to about 2000%, more preferably with about 60% to about 1000%, most preferably with about 75% to about 500%, by weight of the composition, of water.

The complexation between cyclodextrin and odorous molecules occurs rapidly in the presence of water when the solubilized cyclodextrins are first applied to the skin. Additionally, cyclodextrins which dry on the skin surfaces will once again achieve enhanced absorption capabilities when rewetted with body fluids. This is convenient for the user because the cyclodextrins, while on dry skin, will not readily fill their cavities with other environmental odors which would otherwise render them less efficient for absorbing body odors. More particularly, upon solubilization of the cyclodextrins by the body fluids, the isolated cavities become available to form inclusion complexes with the body odor molecules. Thus, ultimately, the availability of solubilized uncomplexed cyclodextrin is essential for an effective and efficient odor control performance. A more complete description of the cyclodextrins and cyclodextrin derivatives useful in the present invention can be found in U.S. Patent Number 5,534,165, Pilosof et al., issued July 9, 1996, which is incorporated herein by reference in its entirety.

**OIL PHASE:** The present invention also includes an oil phase. The oil phase is chosen from the following ingredients: skin protectants, emollients, and/or moisturizers. Saturated or hydrogenated oils are preferred. These ingredients enhance the skin feel characteristics and/or skin care benefits of the present invention. Additionally, the oil phase provides a medium in which hydrophobic antibacterials, if present, may be dissolved.

Skin protectant ingredients can prevent or reduce chafing, skin irritation and/or skin friction that may occur between skin-to-skin contact sites. Preferred skin protectants useful in the present invention include, but are not limited to: vitamin A, cod liver oil, cocoa butter, shark liver oil, dimethicone, petrolatum, white petrolatum, mineral oil, jojoba oil, and lanolin. More preferred are dimethicone, petrolatum, white petrolatum, mineral oil, jojoba oil, and lanolin. Most preferred are the dimethicones.

Moisturizers which aid in adding moisture to the skin may be included in the oil carrier of the present invention. Preferred moisturizers include, but are not limited to vegetable oils and mineral oil. More preferred are hydrogenated or saturated vegetable or mineral oils. Other moisturizers can be chosen from the oily moisturizers in Cosmetic Bench Ref. 1994, pages 46-48, incorporated herein by reference.

Emollients for softening and soothing of skin are also useful in the present invention. Emollients useful herein include tocopherol or tocopherol acetate, triglycerides, vegetable oils, or mineral oil. Other emollients can be chosen from the oily emollients in Cosmetic Bench Ref. 1994, pages 27-31, incorporated herein by reference.

The oil phase or carrier is present at an "effective level", a level which provides the desired skin benefits of the particular ingredients. Typically, the oil phase is present at a level of from about 0.1% to about 26%, preferably from about 0.2% to about 6%, by weight of the composition.

**SURFACTANT:** A surfactant must be used in the present invention. Surfactants are known in the art of forming oil-in-water emulsions. Preferably, a combination of surfactants are used for improved stability.

Surfactants suitable for use herein are surfactants which do not have a high level of interaction with the cyclodextrin, thus optimizing the odor absorbing capability of cyclodextrin. Extensive interaction is not desirable as it may diminish the ability of the cyclodextrin to complex with odor causing compounds and the ability of the surfactant to blend the oil and water phases.

The surfactants optimize both the odor absorbing characteristic of cyclodextrin and the blending ability of the surfactant. Such surfactants, when added to an aqueous cyclodextrin solution, provide a surfactant/cyclodextrin solution which demonstrate odor absorption similar to the same cyclodextrin solution without the surfactant. Not desirable are

surfactants which, when added to an aqueous cyclodextrin solution, provide a surfactant/cyclodextrin solution which demonstrate odor absorption similar to pure water.

The surfactants can be identified using the procedure which follows. First, within an equilibrium chamber, a paper membrane is sealed to a test cell and wetted with a test sample mixture; or, for purposes of establishing a water control and a cyclodextrin control, the membrane is wetted with water or aqueous cyclodextrin. Test sample mixtures comprise mixtures of a solution of aqueous cyclodextrin and a surfactant or a combination of surfactants. Second, an odor causing challenge compound is injected into the equilibrium chamber and allowed to equilibrate through the paper membrane. The odor causing challenge compounds selected should be those which uncomplexed cyclodextrin is capable of absorbing such as isovaleric acid. Third, after a finite time air in the equilibrium chamber enveloping the test cell is pulled through a Drager tube, which results in a color change within the Drager tube. (Drager tubes are commercially available from Lab Safety, Danesville, WI). The distance of color movement up the Drager tube corresponds to the remaining (or uncomplexed) concentration of odorous material within the Drager tube. Replicates of this entire procedure are performed and averages are taken. Any similar procedure such as Gas Chromatograph Head Space Analysis may also be used.

The results from each test sample mixture are then compared to the results of the water control and the cyclodextrin control. As used herein, the phrase "odor capture" refers to the amount of cyclodextrin which complexes with the challenge compound. Thus, a high level of odor capture results in a low level of remaining challenge compound. The surfactant should provide a surfactant/cyclodextrin solution which demonstrates more odor capture than the water control. Preferred surfactants provide a surfactant/cyclodextrin solution which demonstrates no less than about 25%, more preferred no less than about 50%, and even more preferred no less than about 75%, of the level of odor capture as the cyclodextrin control. Most preferred surfactants provide the same level of odor capture as the cyclodextrin control.

Additionally, it is preferable for formation of oil-in-water emulsions that the selected surfactant have a hydrophilic/lipophilic balance ("HLB") of about 8-18. The term HLB is known in the art, for example in U.S. Patent 2,677,700 to Jackson et al., issued May 4, 1954, and incorporated herein by reference. Because of the uniqueness of many of the surfactants mentioned below, they will demonstrate lipophilic behavior different from hydrocarbon lipophiles. Consequently, the HLB values may not correlate exactly with the HLB values for ethylene oxide/hydrocarbon surfactants. Overall, the preferred surfactants for use herein include block copolymers of ethylene oxide and/or propylene oxide and polyalkyleneoxide polysiloxanes. Most preferred are mixtures of at least one of each of block copolymers of ethylene oxide and/or propylene oxide and polyalkyleneoxide polysiloxanes.




Block polyoxyethylene-polyoxypropylene polymeric compounds which are compatible with most cyclodextrins include those based on ethylene glycol, propylene glycol, glycerol, trimethylolpropane and ethylenediamine as the initial reactive hydrogen compound. Polymeric compounds made from a sequential ethoxylation and propoxylation of initial compounds with a single reactive hydrogen atom, such as C<sub>12-18</sub> aliphatic alcohols, are not generally compatible with the cyclodextrin. Block polymer surfactant compounds designated Pluronic<sup>®</sup> and Tetronic<sup>®</sup> are commercially available from the BASF-Wyandotte Corp.

Typical block copolymers of ethylene oxide and/or propylene surfactants include:

Pluronic<sup>®</sup> surfactants: H(EO)<sub>n</sub>(PO)<sub>m</sub>(EO)<sub>n</sub>H;


Reverse Pluronic<sup>®</sup> surfactants: H(PO)<sub>n</sub>(EO)<sub>m</sub>(PO)<sub>n</sub>H;

Tetronic<sup>®</sup> surfactants:



and/or


Reverse Tetronic<sup>®</sup> surfactants:




wherein EO is an ethylene oxide group, PO is a propylene oxide group, and n and m are numbers that indicate the average number of the groups in the surfactants. The average molecular weight of the polyoxypropylene polymers in the mixture is between about 900 to about 25,000 and the oxyethylene groups constitute between about 10 to about 90 weight percent of the oxyethylene/oxypropylene mixture. Non-limiting examples of surfactants useful herein having an HLB of about 8 to 18 include: Pluronic<sup>®</sup> surfactants L10, L43, L44, L63, L64, L65, P75, P84, P85, P103, P104, P105, P123, and mixtures thereof; Reverse Pluronic<sup>®</sup> surfactants 10R5, 17R4, 17R8, 22R4, 25R4, 25R5, 25R8, and mixtures thereof; Tetronic<sup>®</sup> surfactants: 304, 504, 704, 707, 904, 1104, 1304, 1504, and mixtures thereof; and Reverse Tetronic<sup>®</sup> surfactants 50R4, 50R8, 70R4, 90R8, 110R7, 150R8, and mixtures thereof; and mixtures thereof.

More detailed examples of the aforementioned surfactants and methods of making them are described in U.S. Patent 2,674,619, Lundsted et al., issued Apr. 6, 1954; U.S. Patent 3,036,118, Jackson et al., issued May 22, 1962; and U.S. Patent 2,979,528, Lundsted et al., issued Apr. 11, 1961; all incorporated herein by reference in their entireties.

Polyalkyleneoxide polysiloxanes are defined by the general formula:



wherein  $a + b$  are from about 1 to about 50, preferably from about 3 to about 30, more preferably from about 10 to about 25, and  $\text{R}^1$  is mainly one or more random or block poly(ethyleneoxide/propyleneoxide) copolymer groups having the general formula:



wherein  $n$  is 3 or 4, preferably 3; total  $c$  (for all polyalkyleneoxy side groups) has a value of from 1 to about 100, preferably from about 6 to about 100;  $d$  is from 0 to about 14, preferably from 0 to about 3; and more preferably  $d$  is 0;  $c+d$  has a value of from about 5 to about 150, preferably from about 9 to about 100 and each  $\text{R}^2$  is the same or different and is selected from the group consisting of hydrogen, an alkyl having 1 to 4 carbon atoms, and an acetyl group, preferably hydrogen and methyl group. Examples of such compounds suitable herein include: Silwet® L-7600, L-7602, L-7604, L-7605, L-7657, and mixtures thereof; all commercially available from OSi Specialties, Endicott, NY.

The molecular weight of the oxyalkylene group ( $\text{R}^1$ ) is less than or equal to 10000. Preferably, the molecular weight of the oxyalkylene group is less than or equal to about 8000, and most preferably ranges from about 300 to 5000. Thus, the values of  $c$  and  $d$  can be those numbers which provide molecular weights within these ranges. However, the number of oxyethylene units ( $-\text{C}_2 \text{H}_4 \text{O}$ ) in the polyoxyalkylene groups ( $\text{R}^1$ ) must be sufficient to render the polyalkyleneoxide polysiloxane water dispersible or water soluble. It is understood that when  $c$  is a positive number, the oxyethylene and oxypropylene units ( $-\text{C}_3 \text{H}_6 \text{O}$ ) can be distributed randomly throughout the polysiloxane chain or in respective blocks of oxyethylene and oxypropylene units or a combination of random and block distributions. The preparation of polyalkyleneoxide polysiloxanes is well known in the art. Such compounds can be prepared according to the procedure set forth in U.S. Pat. No. 3,299,112, incorporated herein by reference.

The total surfactant level used in the present compositions is from about 0.05% to about 15%, more preferably from about 0.1% to about 12%, by weight of the composition. If a hydrophobic antimicrobial agent is included, more surfactant(s) should be included, typically from about 0.5% to about 10%, by weight of the composition.

**AQUEOUS CARRIER:** The cyclodextrins useful in the present invention should be solubilized in and dispersed in an aqueous carrier. The aqueous carrier provides a clean, convenient means for applying cyclodextrin to desired skin sites. The aqueous carrier also

may impart a degree of cleaning power in and of itself via washing away skin cell debris and skin secretions which bacteria feed upon, as well as the bacteria themselves.

The term "aqueous carrier", as used herein, means water and/or any water soluble materials suitable for use as solvents. Any water may be used, such as distilled, deionized, or tap water. Water not only serves as the liquid carrier for the cyclodextrins, but it also facilitates the complexation reaction between the cyclodextrin molecules and any malodorous molecules that are on the skin site when the composition is applied. The aqueous carrier of the present invention will typically comprise from about 80% to about 98%, preferably from about 85% to about 95% of the present invention's composition.

**WATER-SOLUBLE ANTIMICROBIAL:** The compositions may optionally but preferably contain solubilized, mild, water-soluble, antimicrobials which are effective for inhibiting and/or regulating microbial growth in the composition and/or on skin. Contamination of the compositions of the present invention by microorganisms and subsequent microbial growth can result in unsightly or malodorous compositions. Similarly, microorganisms are typically found in cyclodextrin supplies and their growth in aqueous solutions is possible. Therefore, the inclusion of antimicrobials as preservatives aids in increasing storage stability of the composition of the present invention. When included for preservative action, the water-soluble antimicrobials are included in an effective amount to prevent spoilage or prevent growth of microorganisms inadvertently added to the composition for a specific period of time. If antimicrobial action on skin is desired, water-soluble antimicrobials must be included at a level effective to perform the preservative action discussed above, and to kill and/or prevent growth of microorganisms on the skin.

Antimicrobials useful herein include biocidal and biostatic compounds (substances that kill microorganisms and/or regulate the growth of microorganisms). Suitable water-soluble antimicrobial preservatives have a solubility of 0.3% or greater. In addition, suitable preservatives are those which can come into contact with skin without high irritation potential. Preferred antimicrobial preservatives are those that are water-soluble and are effective at low levels because the water insoluble organic preservatives can form inclusion complexes with the cyclodextrin molecules and compete with the malodorous molecules for the cyclodextrin cavities, thus rendering the cyclodextrins ineffective as odor controlling actives. Preservatives suitable for use in the present compositions are fully described in The Theory and Practice of Industrial Pharmacy, by Lachman, Lieberman, Kanig, 3rd. Edition, pages 466-467 and 520-522 (1986), and U.S. Patent No. 5,534,165, to Pilosof et al., issued July 9, 1996, both of which are incorporated herein by reference.

It is preferable to use a broad spectrum preservative such as one that is effective both on bacteria (both gram positive and gram negative) and fungi. A limited spectrum preservative such as one that is only effective on a single group of microorganisms, for

example fungi, can be used in combination with a broad spectrum preservative or other limited spectrum preservatives with complimentary and/or supplementary activity. A mixture of broad spectrum preservatives can also be used.

Preferred water-soluble preservatives include: sodium hydroxymethylglycinate (i.e. Suttocide® A. from Sutton Labs, Chatham, NJ), cyclic organic nitrogen compounds including imidazolidinedione compounds (such as dimethyloldimethylhydantoin i.e., Glydant® Plus from Lonza, Fair Lawn, NJ; diazolidinyl urea and imidazolidinyl urea) and polymethoxy bicyclic oxazolidine; phenyl and phenoxy compounds including benzyl alcohol, 2-phenoxyethanol and hexamidine isethionate; quaternary ammonium compounds including polyhexamethylene biguanide; low molecular weight aldehydes including formaldehyde and glutaraldehyde; halogenated compounds including chlorhexidine, chlorobutanol, and dibromopropamidine; and mixtures thereof.

Preferred levels of antimicrobial are from about 0.0001% to about 0.6%, more preferably from about 0.0002% to about 0.55%, most preferably from about 0.0003% to about 0.5%, by weight of the composition.

**HYDROPHOBIC ANTIBACTERIAL AGENTS:** Optionally, the present invention may include hydrophobic antibacterial compounds to help destroy and/or control the amount of bacteria present on the skin, which aids in body odor control. However, hydrophobic antibacterial agents can form inclusion complexes with the cyclodextrin molecules and compete with the malodorous molecules for the cyclodextrin cavities, thus rendering the cyclodextrins ineffective as odor controlling actives. To account for this, the level of cyclodextrin may be adjusted as desired. Hydrophobic antibacterials useful in the present invention include triclosan, triclocarbon, eucalyptol, menthol, methylsalicylate, thymol, and mixtures thereof. Preferred are triclosan and triclocarbon. When included in the composition of the present invention, the hydrophobic antibacterials may be at a level of from about 0.1% to about 1.5% and preferably from about 0.1% to about 0.3%, by weight of the composition.

**pH:** Aqueous compositions of the present invention should have a pH of from about 3 to about 10, preferably from about 3.5 to about 8, more preferably from about 3.5 to about 6. Some conventional buffering agents are known in the prior art which may be used to adjust the pH to the desired level if necessary. For example, combinations of salts and acids, such as the following examples: sodium lactate, sodium citrate, potassium phosphate, lactic acid, citric acid, phosphoric acid, sodium hydroxide, and hydrochloric acid are useful. Some of the effectiveness of these ingredients may be lost as they complex with the cyclodextrin, so care is taking in formulating to adjust for that. Other optional buffers appear in The Theory and Practice of Industrial Pharmacy, Lachman, Lieberman and Kanig, Third Edition, incorporated herein by reference.

**OPTIONAL INGREDIENTS:** The present composition may also optionally comprises low molecular weight polyols. The phrase "low molecular weight polyols", as used herein, refers to linear organic compounds with more than one alcohol functional group per molecule wherein the molecular weight is less than 95. Low molecular weight polyols with relatively high boiling points, as compared to water, such as propylene glycol and glycerol are preferred ingredients which may improve odor control performance of the composition of the present invention. Cyclodextrins prepared by processes that result in a level of such polyols are highly desirable, since they can be used without removal of the polyols.

Optimally, the low molecular weight polyols will be added at a level effective to assist in complex formation without significantly reducing available cyclodextrin capacity to absorb the malodor molecules having larger sizes. Typically, low molecular weight polyols are added to the composition of the present invention at a level of from about 0.01% to about 1%, by weight of the composition, preferably from about 0.02% to about 0.5%, more preferably from about 0.03% to about 0.3%, by weight of the composition.

The composition of the present invention can also, optionally, contain adjunct odor-controlling materials, such as zinc salts, water-soluble cationic polymers, water-soluble anionic polymers, water-soluble carbonate salts, water-soluble bicarbonate salts, zeolites, and activated carbon; chelating agents; colorants; and/or antiperspirants.

Optionally, but highly preferred, the present invention can include zinc salts for added odor absorption and/or antimicrobial benefit for the cyclodextrin solution. Zinc compounds have been used to ameliorate malodor, e.g., in mouth wash products, as disclosed in U.S. Pat. Nos. 4,325,939, issued Apr. 20, 1982 and 4,469,674, issued Sept. 4, 1983, to N. B. Shah, et al., both of which are incorporated herein by reference in their entireties. Highly-ionized and water soluble zinc salts, such as zinc chloride, provide the best source of zinc ions. Zinc phenolsulfonate is preferred for use in the skin composition of the present invention; although others may also fall within the scope of the present invention. However, care must be taken in selecting zinc salts as well as their levels, since some may be irritants to the skin and therefore are not preferred for use in the present invention.

These zinc salts aid in absorbing low molecular weight amine and sulfur-containing compounds. Low molecular weight amines and/or low molecular weight sulfur-containing materials such as sulfide and mercaptans; are components of many types of malodors such as food odors (garlic, onion), breath odor, urine odors, and particularly body/perspiration odor. When zinc salts are added to the composition of the present invention they are typically present at a level of from about 0.1% to about 10%, preferably from about 0.2% to about 8%, more preferably from about 0.3% to about 5%, by weight of the composition.

Some water-soluble polymers such as water-soluble cationic polymer and water-soluble anionic polymers can be used in the composition of the present invention to provide

additional odor control benefits. Water-soluble cationic polymers such as those containing amino functionalities, amido functionalities, and mixtures thereof, are useful in the present invention to control certain acid-type odors. Water-soluble anionic polymers such as polyacrylic acids and their water-soluble salts are useful in the present invention to control certain amine-type odors. Preferred polyacrylic acids and their alkali metal salts have an average molecular weight of less than about 20,000, more preferably less than 5,000. Polymers containing sulfonic acid groups, phosphoric acid groups, phosphonic acid groups, and their water-soluble salts, and mixtures thereof, and mixtures with carboxylic acid and carboxylate groups, are also suitable.

Water-soluble polymers containing both cationic and anionic functionalities are also suitable. Examples of these polymers are given in U.S. Pat. 4,909,986, issued March 20, 1990, to N. Kobayashi and A. Kawazoe, incorporated herein by reference, in its entirety. Another example of water-soluble polymers containing both cationic and anionic functionalities is a copolymer of dimethyldiallyl ammonium chloride and acrylic acid, commercially available under the trade name Merquat 280® from Calgon. While the aforementioned water soluble polymers are useful in the present invention, when using these materials, care must be taken to insure no residual acrylic acid is present due to safety concerns associated with the presence of acrylic acid.

Water-soluble alkali metal carbonate and/or bicarbonate salts, such as sodium bicarbonate, potassium bicarbonate, potassium carbonate, sodium carbonate, and mixtures thereof can be added to the composition of the present invention in order to help to control certain acid-type odors. Preferred salts are sodium carbonate monohydrate, potassium carbonate, sodium bicarbonate, potassium bicarbonate, and mixtures thereof. When these salts are added to the composition of the present invention, they are typically present at a level of from about 0.1% to about 5%, preferably from about 0.2% to about 3%, more preferably from about 0.3% to about 2%, by weight of the composition. It is also preferred that incompatible metal salts not be present in the invention. Therefore, when these salts are used, the composition should be essentially free of zinc and other incompatible metal ions, e.g., Ca, Fe, etc. which form water-insoluble salts.

Aminocarboxylic acid chelating agents such as ethylenediaminetetraacetic acid (EDTA) can optionally be added to the composition of the present invention (preferably in the absence of any added metal ions) in order to enhance the activity of the water-soluble, antimicrobial preservative. When a chelating agent is added to the composition of the present invention, it is typically present at a level of from about 0.001% to about 0.3%, preferably from about 0.01% to about 0.2% by weight of the composition.

Zeolites can also be used in the present invention. A preferred class of zeolites are characterized as "intermediate" silicate/aluminate zeolites, particularly for use in absorbing

amine-type odors. "High" zeolites are preferred for control of sulfur-containing odors, e.g., thiols, mercaptans. Zeolites, both "intermediate" and "high", are explained more fully in U.S. Patent No. 5,429,628, to Trinh et al., issued July 4, 1995, which is incorporated herein by reference in its entirety.

The carbon material suitable for use in the present invention is the material well known in commercial practice as an absorbent for organic molecules and/or for air purification purposes. Often, such carbon material is referred to as "activated" carbon or "activated" charcoal. Such carbon is available from commercial sources under such trade names as; Calgon-Type CPG®; Type PCB®; Type SGL®; Type CAL®; and Type OL®.

Colorants and dyes can be optionally added to the odor absorbing compositions for visual appeal and performance impression. When colorants are used, care must be taken in the selection of choosing dyes that will not color skin at the levels used. Preferred colorants for use in the present compositions are highly water-soluble dyes, e.g., acid blue 3, acid blue 104, acid green 1, acid green 25, acid yellow 3, acid yellow 73 sodium salt, D&C green no. 5, 6 & 8, D&C yellow no. 7, 8, 10 & 11, D&C violet no. 2, FD&C blue No. 1 & 2, FD&C green no.3, FD&C yellow no. 5 & 6, and mixtures thereof.

Optionally, the present skin composition may also comprise known antiperspirants and/or other known deodorant compositions not explicitly disclosed previously. Examples of antiperspirants appropriate for aqueous solutions include aluminum-zirconium tetrachlorohydrate, glycine, aluminum-zirconium pentachlorohydrate, aluminum sesquichlorohydrate, or aluminum chlorhydrate and mixtures thereof.

#### PROCESS OF MAKING COMPOSITIONS

The compositions may be prepared by oil-in-water emulsion techniques such as are commonly known in the art. Examples of such techniques are described in Remington's Pharmaceutical Science, Eighteenth Edition, pp. 304-306, 1990, incorporated herein by reference. The compositions of the present invention also may be prepared by a process comprising the steps of: Making a first mixture by mixing surfactant(s) and an oil phase until homogenous and adding an aqueous phase with mixing until the mixture is homogenous. Making a solution by adding cyclodextrin to an aqueous phase with mixing until the cyclodextrin dissolves. Making a second mixture by mixing the solution with the first mixture until the second mixture is homogenous. Where desired, the second mixture may be diluted by adding an aqueous phase with mixing until homogenous. Where hydrophobic antimicrobials also comprise the compositions, the process of making the mixture in the first step additionally comprises adding a premix with mixing to the surfactant(s) and the oil phase until homogenous, wherein the premix is prepared by mixing a hydrophobic antimicrobial with surfactant(s) until the premix is homogenous. The term "homogenous", as used herein, means a uniformly dispersed solution. Homogeneity is indicated by a substantially smooth,

lump-free and uniform appearing composition. A stable emulsion remains homogeneous over a given period which is determined by the required shelf life of the composition.

As an alternative to making the mixture by mixing surfactant(s), an oil phase, optional hydrophobic antimicrobials, and an aqueous phase; an emulsion concentrate comprising surfactant(s), an oil phase, and a minimal amount of aqueous carrier may be used. Emulsion concentrates useful in the present invention will be from about a 3-fold to about a 20-fold concentrate. The concentrated emulsion may then be diluted by adding aqueous carrier followed by addition of the remaining ingredients as discussed above.

Other variations of processes of making the compositions of the present invention should be readily apparent to those having ordinary skill in the art. For instance, the mixture could be made in one step by addition and mixing of each of the ingredients. Alternatively, less than all of the ingredients may be pre-combined for subsequent combination with other ingredients or with other pre-combined ingredients to form the composition.

Equipment suitable for forming the mixtures and emulsion may be selected from those which are known or become known in the art. For example, suitable apparatus include dual propeller blade mixers. A turbine mixer and an in-line homogenizer using tandem rotor-stators, as described in the above-referenced U.S. Patent 5,043,155, may also be used.

The resultant emulsion containing the ingredients in their total amounts has a preferred viscosity at room temperature (i.e., 20°-25°C) in the range of from about 10 to about 200 centipoise more preferably from about 15 to about 150 centipoise; most preferably from about 20 to about 100 centipoise.

Since the compositions herein are applied directly to skin, various applicators are useful for delivering the compositions to the entire body for maximum odor control. For example, the compositions are preferably deposited on a paper product such as a wipe which later is contacted with the skin to transfer the composition to the skin.

Any wipe structures and/or methods of making the wipe structures commonly known in the art may be used. The wipe comprises a flexible dispensing means. The term "flexible dispensing means", as used herein, includes papers, cloths, non-wovens, films, foams, sponges, rollers, pads, tissues, cotton balls, and the like. Preferred wipe substrates comprise a porous material, such as the non-woven substrates, foams, or sponges, which are capable of holding the composition within the pores of the substrates. Examples of cellulosic non-wovens particularly useful and economic are described in U.S. Patent Number 4,191,609, Trokhan, issued March 4, 1980. Further description of useful wipes and methods of making said wipes are found in World Patent 95/17175, to Mitra et. al, publication date of June 29, 1995. Both references are incorporated herein by reference in their entireties.



Techniques for combining the wipe substrates with the compositions herein are well known in the art. Examples of common techniques include coating, immersing, dipping, or spraying the wipe substrates with the compositions herein. The compositions herein are added to the wipe substrate at level sufficient to provide the desired odor control and/or other desired skin benefits. A convenient method of combining the composition with the chosen substrate is to place the substrate inside an open package which will ultimately house the finished product until use. The composition is poured onto the substrate and allowed to distribute throughout. It is preferred that the homogenous composition is poured onto each wipe individually rather than onto a stack of wipes. The package is then closed and the wipes ready for use.

The compositions can also be delivered as a liquids via a spray dispenser or a bottle. Preferred is a manually activated spray dispenser to avoid the use of aerosols which may be irritating to sensitive areas of the body. Spray dispensers are described more fully in U.S. Patent Number 5,534,165 which is incorporated herein by reference in its entirety.

#### METHODS OF USE

The present invention encompasses a method of controlling environmental malodors and reducing body odor on skin comprising the application to skin of the compositions herein. The present invention also encompasses methods of reducing vaginal odor comprising applying the compositions herein onto a pelvic region, external vagina, and/or panty-line. However, the compositions herein should not be inserted into the vagina, nor applied onto the vulva. An "effective amount" of the compositions of the present invention, as used herein, means an amount sufficient to absorb odor to the point that it is less noticeable by the human sense of smell. While the determination of an effective amount of the present compositions used and the number of uses per day is ultimately left to the discretion of the user, typically an effective amount will be from about 0.05 grams to about .50 grams per use for body odor and from about .05 to about 3.0 grams per use for environmental odor; applied from about 1 to about 15 times per day, for as many days as desired by the user.

The compositions of the present invention are topically applied directly to the skin or hair. The compositions can be delivered by placing the composition into a dispensing means and applying an effective amount via spraying or rubbing the composition onto the desired skin surface; typically the entire body. Preferably the dispensing means is a wipe comprising a flexible dispensing means or a spray dispenser. Distribution of the composition of the present invention can also be achieved by using a pre-formed applicator such as a roller, pad, sponge, tissue, cotton ball, hand, etc.; or with a hand.

Alternatively, the user may combine the composition of the present invention with a wipe substance of his or her own choosing. To do this, the user simply chooses a wipe substance such as a commercial paper towel, tissue, sponge, cotton, pad, washcloth, or the

like; and pours, from a bottle or other suitable container, a solution of the composition of the present invention over the chosen wipe substance and applies the composition to the desired area of the body. In this manner, the user may use as much or as little of the composition of the present invention as he/she desires, depending upon their intended use and degree of odor control necessary.

The following non-limiting examples illustrate perfume compositions and odor absorbing compositions of the present invention.

#### EXAMPLES I, II, and III

	<u>Example I</u>	<u>Example II</u>	<u>Example III</u>
Pluronic® L-44		0.15	0.30
Pluronic® L-43	0.20		
Silwet L® -7657			0.30
Silwet L® -7605		0.15	
Silwet L® -7600	0.20		
Dimethicone	2.00	1.00	2.00
Triclosan			0.15
Hydroxy Propyl Beta Cyclodextrin	1.00	5.00	2.00
Zinc Phenolsulfonate	1.01	1.01	
Ascorbic Acid	0.40	1.75	2.00
Glydant® Plus	0.30	0.30	0.30
Suttocide® A		0.25	
Propylene Glycol	1.00	1.00	1.00
Water	Balance	Balance	Balance

#### EXAMPLES IV, V, and VI

<u>Ingredients</u>	<u>Example I</u> <u>Wt. %</u>	<u>Example II</u> <u>Wt. %</u>	<u>Example III</u> <u>Wt. %</u>
Pluronic® L-44		0.15	0.30
Pluronic® L-43	0.20		
Silwet® L-7657			0.30
Silwet® L-7605		0.15	
Silwet® L-7600	0.20		
Dimethicone	3.0	2.0	2.0
Propylene glycol	0.16	0.12	
Citric acid	0.03	0.03	0.03
Disodium phosphate	0.02	0.02	0.02
Glydant® Plus	0.30	0.20	
Suttocide® A		0.25	0.50
Tetrasodium EDTA	0.10	0.10	

Hydroxy propyl beta cyclodextrin	1.00	1.50	0.5
Zinc phenolsulfonate	1.01		1.01
Triclosan			0.15
Distilled Water	Balance	Balance	Balance

Alternatively, the hydroxy propyl beta cyclodextrin in the above examples could be substituted with other beta cyclodextrins, alpha-cyclodextrins, gamma-cyclodextrins, or mixtures of these cyclodextrins and/or their derivatives. Similarly, the examples could comprise other hydrophobic antimicrobials.

Prepare Examples I-VI as follows: Prepare a premix by mixing triclosan with about 1/6, by weight, of total Pluronic® L and Silwet® L (Examples III and VI only). Prepare a first mixture by mixing about 1% of water, by total formula weight, with surfactant. For Examples III and VI, preparing the first mixture also includes a final step of adding the premix with mixing. Using a sonifier, prepare a second mixture by adding dimethicone to the first mixture, then slowly adding about 1%-2% of water, by total formula weight. Prepare premix (a) by mixing hydroxypropyl beta cyclodextrin and about 1.5%-3% of water, by total formula weight; premix (b) by mixing zinc phenolsulfonate and about 2% of water, by total formula weight; premix (c) by mixing the ascorbic acid and about 2% of water by total formula weight; and premix (d) by mixing Glydant® Plus and propylene glycol. Using a homogenizer, add remaining water to the second mixture to create a third mixture. Add premixes (a), (b), (c), and (d) to the third mixture using the homogenizer.

Preparation for Application to Skin: The solutions of the present invention may be loaded onto a wipe or poured into a spray device or poured directly onto the skin or flexible dispensing means of the user's choosing for convenient application to the skin. To prepare wipes, place dry fabric or wipe substance inside an open package which will ultimately contain the finished product. Pour the composition onto the fabric to distribute throughout. Close the package for storage until consumer use. To prepare spray, pour the composition into the selected spray package. Close the package for storage until consumer use.

Example VII A woman with stress urinary incontinence finds that the wetness associated with this condition causes vaginal odor which she wants to remove from the skin and control. After urinating, the woman wipes her external vagina with a wipe containing the composition in Example I. The cyclodextrin and zinc salts in the composition complex with body odors such as polycyclic compounds and amines (respectively) which are found in urine. This woman notices less body odor after using the wipes.

Example VIII A large-breasted woman finds that when she exercises, she tends to experience sweating and skin chafing under the breasts. Before and after exercising, she applies the composition from Example II via a hand-held trigger-spray bottle. She sprays the

composition under her breasts and notices less body odor and feels more comfortable after using the spray.

**Example IX** A man has severe allergies to cosmetic deodorants, antiperspirants, heavy cologne, and avoids using such products. This results in uncontrolled and embarrassing body odor. His doctor suggests applying the mild odor absorbing composition of Example III after showering. The man applies the composition to his entire body via a spray after showering each morning, and suffers no allergic reaction. The man feels comfortable without the embarrassment of uncontrollable body odor. The man carries a pouch of wipes which also contain the composition of Example III for convenient and discrete reapplication as needed.

**Example X** A man is cooking fish and a spicy sauce requiring the dicing of garlic, onions, and various peppers. He is told that his hands and hair smell of these food odors and he wants to remove these odors from his body. The man rubs his hands and hair with wipes containing the composition in Example IV. Each wipe deposits about 0.05 grams of environmental odor-absorbing composition on the skin and hair. The man notices less odor after using the wipes.

**Example XI** A woman finds that after she smokes a cigarette during a break at work, her hands and face smell of smoke and tobacco. She applies the composition from Example V via a hand-held trigger-spray bottle. She sprays the composition on her face and hands and the composition removes the residual smoke and tobacco odors which she found so disagreeable. (She deposits about 2 grams of environmental odor-absorbing composition on the skin). This woman notices less odor and feels more comfortable returning to her desk after using the spray.

**Example XII** A man, on his way to an important meeting, stops to buy gasoline for his car. As he is filling the gas tank, gasoline splashes on his hands. The man wipes his hands on a paper towel but the gasoline odor remains on his hands. The man removes a small bottle from his gym bag which contains the composition of Example VI. He opens the bottle and pours some of the composition on his hands, delivering roughly about 1 gram of the environmental odor-absorbing composition. He then smells his hands and notices that the gasoline odor is no longer present.

What is claimed is:

1. An odor absorbing composition comprising:
  - a. from 0.1% to 5%, by weight of the composition, of solubilized, water-soluble, uncomplexed cyclodextrin;
  - b. from 0.1% to 36%, by weight of the composition, of an oil phase selected from the group consisting of emollients, moisturizers, and skin protectants;
  - c. one or more surfactants each having a hydrophilic/lipophilic balance of 8-18 and wherein each surfactant, when combined with an aqueous cyclodextrin solution, provides no less than 25% a level of odor capture as an aqueous cyclodextrin solution; and
  - d. an aqueous carrier;wherein the composition is safe for use on the skin.
2. The composition according to Claim 1 wherein the surfactant is selected from the group consisting of block copolymers of polyoxyethylene-polyoxypropylene, polyalkyleneoxide polysiloxanes, and mixtures thereof.
3. The composition according to Claim 2 wherein each surfactant, when combined with an aqueous cyclodextrin solution, provides no less than 75% of odor capture as an aqueous cyclodextrin solution.
4. The composition according to any one of the preceding claims wherein the composition further comprises one or more antimicrobials selected from the group consisting of hydrophobic antimicrobials, water soluble antimicrobials, and mixtures thereof.
5. The composition according to any one of the preceding claims wherein the hydrophobic antimicrobial is selected from the group consisting of triclosan, triclocarbon, eucalyptol, methylsalicylate, and thymol; and is present at a level of from 0.1% to 1.5% by weight of the composition; and wherein the water soluble antimicrobial is sodium hydroxymethylglycinate.
6. The composition according any one of the preceding claims wherein the composition further comprises one or more optional ingredients selected from the

group consisting of low molecular weight polymers, zinc salts, zeolites, activated carbon, water-soluble carbonates, water-soluble bicarbonates, and mixtures thereof.

7. The composition according to any one of the preceding claims wherein the cyclodextrin is selected from the group consisting of beta-cyclodextrins, derivatives of beta-cyclodextrins, alpha-cyclodextrins, derivatives of alpha-cyclodextrins, gamma-cyclodextrins, methylated cyclodextrin, hydroxypropyl beta-cyclodextrin, derivatives of gamma-cyclodextrins, and mixtures thereof.

8. A pre-formed wipe composition comprising the composition according to any one of the preceding claims deposited on a flexible dispensing means.

9. A method of reducing odor comprising the application to skin of a composition according to any one of the preceding claims wherein the odor is selected from the group consisting of body odor, vaginal odor, environmental odor, and mixtures thereof.

10. A process for making an odor absorbing composition comprising the steps of:

- a. making a mixture by mixing one or more surfactants, an oil phase, and an aqueous phase until the mixture is homogenous;
- b. making a second mixture by adding cyclodextrin to the mixture of step a with mixing until the cyclodextrin dissolves and the second mixture is homogenous.

# INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 98/11787

**A. CLASSIFICATION OF SUBJECT MATTER**  
IPC 6 A61K7/48

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	EP 0 366 154 A (SHISEIDO) 2 May 1990 see claims 1-6 ---	1,7
A	US 5 534 165 A (PILOSOF, D. ET AL.) 9 July 1996 cited in the application see claim 1 ---	1
A	SZEJTLI, J. : "CYCLODEXTRINS IN FOOD, COSMETICS AND TOILETRIES" STÄRKE, vol. 34, no. 11, November 1982, page 382 XP002079165 WEINHEIM, DEUTSCHLAND -----	1



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

\* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

12 October 1998

Date of mailing of the international search report

28/10/1998

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Beyss, E

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 98/11787

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 366154 A	02-05-1990	AU 616571 B	31-10-1991
		AU 4382889 A	03-05-1990
		CA 2001667 A	28-04-1990
		DE 68917851 D	06-10-1994
		DE 68917851 T	05-01-1995
		ES 2059674 T	16-11-1994
		JP 2196709 A	03-08-1990
		US 5447920 A	05-09-1995
US 5534165 A	09-07-1996	AU 3148395 A	07-03-1996
		CA 2196294 A	22-02-1996
		CN 1157574 A	20-08-1997
		EP 0776220 A	04-06-1997
		JP 10503955 T	14-04-1998
		WO 9604939 A	22-02-1996